
















STORM PLASTICS NATIONAL PRODUCT GUIDE JULY 2009






www.stormplastics.com.au







PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE	PRODUCT NUMBER
	12	100mm M&F DWV SWIVEL JOINT PVC-U Allows +/- 15° rotation & 50mm expansion. Fitting measures approx. 325mm open, 275mm closed.	SJ10015	1
	6	150mm M&F DWV SWIVEL JOINT PVC-U Allows +/- 15° rotation & 60mm expansion. Fitting measures approx. 435mm open, 375mm closed.	SJ15015	2
	30	90mm M&F STORMWATER EXPANDA JOINT PVC-U Allows approx. 90mm movement Fitting measures 290mm open, 200mm closed.	ST9090	3
	12	100mm M&F DWV EXPANDA JOINT PVC-U Allows approx. 150mm movement Fitting measures 470mm open, 320mm closed.	DW100150	4







PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE					PRODUCT NUMBER
	6	150mm M&F FABRICATED DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 240mm movement Fitting measures 790mm open, 550mm closed.	DW150240					5
	1	40mm M&F FABRICATED DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 80mm movement Fitting measures 290mm open, 210mm closed.	DW4080					6
	1	50mm M&F FABRICATED DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 80mm movement. Fitting measures 310mm open, 230mm closed.	DW5080					7
	1	65mm M&F FABRICATED DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 120mm movement. Fitting measures 395mm open, 275mm closed.	DW65120					8
	1	80mm M&F FABRICATED DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 150mm movement. Fitting measures 515mm open, 365mm closed.	DW80150					9
	1	100mm M&F DWV SPECIAL SHORT EXPANDA JOINT (TAPED) with Expanda Tape PVC-U Allows approx. 100mm movement. Fitting measures 370mm open, 270mm closed.	DW100100SST					10






PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	12	100mm M&F DWV EXPANDA JOINT (TAPED) with Expanda Tape PVC-U Allows approx. 150mm movement. Fitting measures 380mm.	DW100150T				11
	12	100mm F&F DWV EXPANDA COUPLING PVC-U HDPE compatible. Allows approx. 150mm movement. Fitting measures 265mm	DW100150C				12
	8	100mm FABRICATED DWV EXTENDED EXPANSION JOINT PVC-U Allows approx. 280mm movement. Fitting measures 720 open, 440mm closed.	DW100280				13
	8	100mm FABRICATED DWV EXTENDED EXPANSION JOINT (TAPED) PVC-U Includes pipe piece & Expanda Tape. Allows approx. 280mm movement. Fitting measures 580mm.	DW100280T				14
	1	100mm DWV EXTENDED EXPANSION JOINT PVC-U Made to order as per customers' requirements	DW100000				15
	6	150mm M&F SHORT DWV EXPANSION JOINT PVC-U Taped with EXPANDA TAPE. Allows approx. 60mm movement. Fitting measures 315mm.	DW15060				16






PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	100mm DWV EXTENDED EXPANSION JOINT PVC-U Allows various lengths of movement. Made to order as per customers' requirements.	EXTEJ100				17
	1	100mm DWV Double Swivel Joint/Extended Expansion Joint PVC-U Allows +/- 15° rotation either end. Made to order as per customers' requirements.	DSJ/EXTEJ100				18
	1	100mm DWV SWIVEL/EXTENDED EXPANSION JOINT PVC-U Allows +/- 15° rotation one end. Made to order as per customers' requirements.	SJ/EXTEJ100				19






PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	100mm DWV Double 4 Swivel Joint/Extended Expansion Joint PVC-U Allows +/- 30° rotation either end. Made to order as per customers' requirements.	4SJ/EXTEJ100				20
	1	225mm DWV SLIP COUPLING PVC-U Rubber ring either end Allows approx. 150mm movement. Measures 270mm long.	DWS225150				21
	1	225mm DWV EXPANSION COUPLING PVC-U Rubber ring one end, solvent weld joint on other end. Allows approx. 210mm movement. Measures 390mm long.	DWC225210				22
	1	225mm F&F DWV EXPANSION JOINT PVC-U Allows approx. 210mm movement Measures 750mm open, 540mm closed.	DWEJ225210				23
	1	225mm F&F DWV EXPANSION/REPAIR JOINT PVC-U Allows approx. 345mm movement. Measures 1015mm open, 670mm closed.	DWER225345				24





PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	10	100mm x 45° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 155mm movement. Top to Invert 300mm.	DW10045155				25
	8	100mm x 45° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 240mm movement. Top to Invert 390mm.	DW10045240				26
	10	100mm x 90° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 155mm movement. Top to Invert 330mm.	DW10090155				27
	8	100mm x 90° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 240mm movement. Top to Invert 420mm.	DW10090240				28
	2	150mm x 45° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 240mm movement. Top to Invert 470mm.	DW15045240				29
	2	150mm x 90° FABRICATED DWV EXPANSION BEND PVC-U Allows approx. 240mm movement. Top to Invert 520mm.	DW15090240				30






PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	40mm FLOOR FLANGE PVC-U	FF40				31
	1	50mm FLOOR FLANGE PVC-U	FF50				32
	1	65mm FLOOR FLANGE PVC-U	FF65				33
	1	80mm FLOOR FLANGE PVC-U	FF80				34
	1	100mm FLOOR FLANGE PVC-U	FF100				35
	1	80 mm PUDDLE FLANGE MALE PVC-U Fits inside 80mm DWV pipe.	PF80M				36




PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	80mm PUDDLE FLANGE FEMALE SOCKET PVC-U Fits over 80mm DWV pipe	PF80F				37
	1	FINE FIT ADAPTOR 75mm GALV / 90mm PVC-U STORMWATER DOWNPIPE ADAPTOR PVC-U.	ST7590				38
	200	100mm x 90mm M& F STORMWATER REDUCER PVC-U (Pipe to pipe) Very cost effective.	ST10090				39
	1	100mm x 120mm ROUND DOWNPIPE ADAPTOR PVC-U	ST100120				40
	6	150mm x 205mm Long DWV PIPE PIECE WITH SOCKET END PVC-U	PP150205				41
	12	150mm DWV SLAB ADAPTOR PVC-U Fitting measures 250mm.	DWSA150				42







PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	150mm x 100mm DWV SILT TRAP COMPLETE WITH INCREMENT, LID & PVC-U BUCKET with 3mm, 5mm or 10mm holes.	S150100				43
	1	150mm x 400mm PVC-U SILT TRAP INCREMENT ONLY.	S150400				44
	1	150mm STAINLESS STEEL SILT TRAP LID 2mm LIGHT DUTY.	L1502SS				45
	1	150mm PVC-U SILT TRAP BUCKET ONLY Cost effective replacement for existing installations in butcher shops, fast food outlets, etc - 3mm holes - 5mm holes - 10mm holes	B1503 B1505 B15010				46
	1	225mm x 100mm SILT TRAP COMPLETE WITH INCREMENT, LID & PVC-U BUCKET with 3mm, 5mm or 10mm holes.	S225100				47

PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE					PRODUCT NUMBER
	1	225mm x 100mm PVC-U SILT TRAP WITH INCREMENT & LID. No bucket.	NBS225100					48
	1	225mm x 100mm PVC-U SILT TRAP WITH INCREMENT. No lid or bucket.	NLBS225100					49
	1	225mm x 100mm PVC-U SILT TRAP COMPLETE WITH INCREMENT, LID & STAINLESS STEEL BUCKET with 1.5mm holes.	S225100SSB					50
	1	225mm x 100mm PVC-U SILT TRAP COMPLETE WITH INCREMENT, STAINLESS STEEL LID & STAINLESS STEEL BUCKET with 1.5mm holes	S225100SSLB					51
	1	225mm x 150mm PVC-U SILT TRAP COMPLETE WITH INCREMENT, LID AND PVC-U BUCKET with 3mm, 5mm or 10mm holes.	S225150					52

PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE					PRODUCT NUMBER
	1	225mm x 150mm PVC-U SILT TRAP WITH INCREMENT & LID. No bucket.	NBS225150					53
	1	225mm x 150mm PVC-U SILT TRAP WITH INCREMENT. No lid or bucket.	NLBS225150					54
	1	225mm x 150mm PVC-U SILT TRAP COMPLETE WITH INCREMENT, GALV LID & STAINLESS STEEL BUCKET with 1.5mm holes.	S225150SSB					55
	1	225mm x 150mm PVC-U SILT TRAP COMPLETE WITH INCREMENT, STAINLESS STEEL LID & BUCKET.	S225150SSLB					56

PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
		250mm x 110mm HDPE SILT TRAP COMPLETE WITH STAINLESS STEEL LID AND BUCKET WITH 1.5mm HOLES.	S250110HDPE				57
	1	225mm x 475mm PVC-U SILT TRAP INCREMENT ONLY	S225475				58
	1	225mm INCREMENT CAN BE MADE TO LENGTH AND ADDITIONAL INLETS CAN BE WELDED IN TO CUSTOMER REQUIREMENTS.	S225000				59
	1	225mm SILT TRAP LID 2mm GALV LIGHT DUTY.	L2252				60
	1	225mm SILT TRAP LID 2mm STAINLESS STEEL LIGHT DUTY.	L2252SS				61

PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	1	225mm SILT TRAP LID ONLY 6mm HEAVY DUTY.	L2256				62
	1	225mm SILT TRAP LID SPACER ONLY - 10mm THICK.	LS22510				63
	6	225mm PVC-U SILT TRAP BUCKET ONLY Cost effective replacement for existing installations in butcher shops, fast food outlets, etc	B2253 B2255 B22510				64
	1	225mm PVC-U SILT TRAP BUCKET - LONG Cost effective alternative to stainless steel.	B22510L				65
	1	225mm STAINLESS STEEL SILT TRAP BUCKET	B225SS1.5				66
	10	EXPANDA TAPE (10 strips per pack) 440mm x 75mm Denso tape impregnated with copper sulphate crystals on clear plumbers joining tape. MSDS on Storm Plastics website.	ET10440				67

PRODUCT PHOTO	CARTON QTY	PRODUCT DESCRIPTION	PRODUCT CODE				PRODUCT NUMBER
	12	EXPANDA TAPE (12 strips per pack) 440mm x 75mm Denso tape impregnated with copper sulphate crystals on clear plumbers joining tape. MSDS on Storm Plastics website.	ET12440				68
	12	EXPANDA LUBE - Box of 12 x 125ml of lubricant particularly suitable for installation of rubber ring joints in stacks & drains.	EL12512				69
	1	FABRICATED HOT WATER HEATER SAFE TRAY. SQUARE, PLAIN, 455mm I/D 465mm O/D. Made from flat PVC-U sheet.	HST455				70
	1	FABRICATED HOT WATER HEATER SAFE TRAY. SQUARE WITH OUTLET, 455mm I/D 465mm O/D. Made from flat PVC-U sheet.	HST4550				71
	1	FABRICATED HOT WATER HEATER TRAY. With or without outlet. Made to order from flat PVC-U sheet.	HST0000				72
	1	PLASTIC COATED STEEL SUPPORT BRACKET. To suspend drain under foundation. 6mm steel rod encased in PVC tubing, approx. 750mm long x 75mm, 120mm or 175mm	SB75075 SB750120 SB750175				73

