



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder

Storm Plastics Pty Ltd

A.B.N.: 57-631-493-037

4 Dunorlan Road, Edwardstown, SA 5039 Australia

Manufacturer

Refer to Licence Holder

Standard

AS/NZS 1260:2017

PVC-U pipes and fittings for drain, waste and vent applications

Licence No. WM-021411

Certification Date: 22 Oct 2024

Expiry Date: 21 Oct 2029

First Certified: 14 Dec 2007

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Classification	End Connection
Storm Plastics	Fabricated 150mm Silt Trap Bucket 10mm Holes	B15010	Non-pressurised fittings	150mm Silt Trap Bucket PVC with 10mm Holes.	DN150	SN8	Not Applicable
Storm Plastics	Fabricated 150mm Silt Trap Bucket 3mm Holes	B1503	Non-pressurised fittings	150mm Silt Trap Bucket PVC with 3mm Holes.	DN150	SN8	Not Applicable
Storm Plastics	Fabricated 150mm Silt Trap Bucket 5mm Holes	B1505	Non-pressurised fittings	150mm Silt Trap Bucket PVC with 5mm Holes.	DN150	SN8	Not Applicable
Storm Plastics	Fabricated 225mm Silt Trap Bucket 10mm Holes	B22510	Non-pressurised fittings	225mm Silt Trap Bucket PVC with 10mm Holes.	DN225	SN8	Not Applicable
Storm Plastics	Fabricated 225mm Silt Trap Bucket 3mm Holes	B2253	Non-pressurised fittings	225mm Silt Trap Bucket PVC with 3mm Holes.	DN225	SN8	Not Applicable
Storm Plastics	Fabricated 225mm Silt Trap Bucket 5mm Holes	B2255	Non-pressurised fittings	225mm Silt Trap Bucket PVC with 5mm Holes.	DN225	SN8	Not Applicable
Storm Plastics	Fabricated Double Swivel/Extended Expansion Joint	DSJ/EXTEJ100	Non-pressurised fittings	Allows +/- 15° rotation either end & various lengths of movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100100FF	Non-pressurised fittings	F&F Expansion Joint, allowing up to 100mm movement. Fitting measures 365mm open, 265mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100100FM	Non-pressurised fittings	F&M Expansion Joint, allowing up to 100mm movement. Fitting measures 365mm open, 265mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100100MF	Non-pressurised fittings	M&F Expansion Joint, allowing up to 100mm movement. Fitting measures 365mm open, 265mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100100MM	Non-pressurised fittings	M&M Expansion Joint, allowing up to 100mm movement. Fitting measures 365mm open, 265mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100100SST	Non-pressurised fittings	M&F Special Short Expanda Joint (Taped with Expanda Tape). Allows approximately 100mm movement. Fitting Measures 370mm open 270mm closed	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expanda Joint	DW100150	Non-pressurised fittings	M&F Expanda Joint allowing up to 150mm movement	DN100	SN8	Solvent Cement

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Classification	End Connection
Storm Plastics	Fabricated Expansion Coupling	DW100150C	Non-pressurised fittings	F&F Expansion Coupling, PVC to PVC or HDPE Compatible. Fitting measures 265mm, allows approximately 150mm movement.	DN100	SN8	Solvent Cement & Rubber Ring
Storm Plastics	Fabricated Expansion Joint	DW100150FF	Non-pressurised fittings	F&F Expansion Joint, allowing up to 150mm movement. Fitting measures 455mm open, 305mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100150FM	Non-pressurised fittings	F&M Expansion Joint, allowing up to 150mm movement. Fitting measures 455mm open, 305mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100150MM	Non-pressurised fittings	M&M Expansion Joint, allowing up to 150mm movement. Fitting measures 460mm open, 310mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expanda Joint Taped	DW100150T	Non-pressurised fittings	M&F Expanda Joint Taped with Expanda Tape allowing up to 150mm movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100220FF	Non-pressurised fittings	F&F Expansion Joint, allowing up to 220mm movement. Fitting measures 595mm open, 375mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100220FM	Non-pressurised fittings	F&M Expansion Joint, allowing up to 220mm movement. Fitting measures 595mm open, 375mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100220MF	Non-pressurised fittings	M&F Expansion Joint, allowing up to 220mm movement. Fitting measures 595mm open, 375mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100220MM	Non-pressurised fittings	M&M Expansion Joint, allowing up to 220mm movement. Fitting measures 595mm open, 375mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100280	Non-pressurised fittings	M&F Fabricated Extended Expansion Joint, allowing up to 280mm movement. Fitting measures 720mm open, 440mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW100280T	Non-pressurised fittings	M&F Fabricated Extended Expansion Joint Taped with Expanda Tape, allowing up to 280mm movement. Fitting measures approximately 580mm	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10045150	Non-pressurised fittings	45° Expansion Bend, allowing up to 150mm movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10045230	Non-pressurised fittings	45° Expansion Bend, allowing up to 230mm movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10050FF	Non-pressurised fittings	F&F Expansion Joint, allowing up to 50mm movement. Fitting measures 270mm open, 220mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10050FM	Non-pressurised fittings	F&M Expansion Joint, allowing up to 50mm movement. Fitting measures 270mm open, 220mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10050MF	Non-pressurised fittings	M&F Expansion Joint, allowing up to 50mm movement. Fitting measures 250mm open, 200mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10050MFT	Non-pressurised fittings	M&F Expansion Joint Taped with Expanda Tape allowing up to 50mm movement.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Joint	DW10050MM	Non-pressurised fittings	M&M Expansion Joint, allowing up to 50mm movement. Fitting measures 250mm open, 200mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Bend	DW10090150	Non-pressurised fittings	90° Expansion Bend, allowing up to 150mm movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Bend	DW10090230	Non-pressurised fittings	90° Expansion Bend, allowing up to 230mm movement	DN100	SN8	Solvent Cement

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Classification	End Connection
Storm Plastics	Fabricated Expansion/Repair Joint	DW150240	Non-pressurised fittings	M&F Fabricated Expansion/Repair Joint, allowing up to 240mm movement. Fitting measures 790mm open, 550mm closed	DN150	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Bend	DW15045240	Non-pressurised fittings	45° F&F Fabricated Expansion Bend. Allows approximately 240mm movement. Fitting measures 470mm from Top to Invert	DN150	SN8	Solvent Cement & Rubber Ring
Storm Plastics	Fabricated Expansion Bend	DW15090240	Non-pressurised fittings	90° F&F Fabricated Expansion Bend. Allows approximately 240mm movement. Fitting measures 520mm from Top to Invert	DN150	SN8	Solvent Cement & Rubber Ring
Storm Plastics	Fabricated Expansion/Repair Joint	DW4080	Non-pressurised fittings	M&F Fabricated Expansion/Repair Joint, allowing up to 80mm movement. Fitting measures 290mm open, 210mm closed.	DN40	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion/Repair Joint	DW5080	Non-pressurised fittings	M&F Fabricated Expansion/Repair Joint, allowing up to 80mm movement. Fitting measures 310mm open, 230mm closed.	DN50	SN8	Solvent Cement
Storm Plastics	Fabricated Extended Expansion Joint	DW50EXTEJ	Non-pressurised fittings	M&F Fabricated Extended Expansion Joint allows various lengths of movement to customers requirements.	DN50	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion/Repair Joint	DW65120	Non-pressurised fittings	M&F Fabricated Expansion/Repair Joint, allowing up to 120mm movement. Fitting measures 395mm open, 275mm closed.	DN65	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion/Repair Joint	DW80150	Non-pressurised fittings	M&F Fabricated Expansion/Repair Joint, allowing up to 150mm movement. Fitting measures 515mm open, 365mm closed.	DN80	SN8	Solvent Cement
Storm Plastics	Fabricated Expansion Coupling	DWC225210	Non-pressurised fittings	F&F Expansion Coupling. Rubber Ring Joint one end, Solvent Weld Joint other end Allows approximately 210mm movement. Fitting measures 390mm long.	DN225	SN8	Solvent Cement & Rubber Ring
Storm Plastics	Fabricated Expansion Joint	DWEJ225210	Non-pressurised fittings	F&F Expansion Joint. Allows approximately 210mm movement. Fitting measures 750mm open 540mm closed.	DN225	SN8	Solvent Cement
Storm Plastics	Expansion/Repair Joint	DWER225345	Non-pressurised fittings	F&F Expansion/Repair Joint. Allows approximately 345mm movement. Fitting measures 1015mm open 670mm closed.	DN225	SN8	Solvent Cement
Storm Plastics	Fabricated Slip Coupling	DWS225150	Non-pressurised fittings	F&F Slip Coupling. Rubber Ring Joint both ends. Allows approximately 150mm movement. Fitting measures 240mm long.	DN225	SN8	R&R - Rubber Ring
Storm Plastics	Fabricated Slip Coupling	DWS300150	Non-pressurised fittings	F&F Slip Coupling. Rubber Ring Joint both ends. Allows approximately 150mm movement. Fitting measures 240mm long.	DN300	SN8	R&R - Rubber Ring
Storm Plastics	Fabricated Extended Expansion Joint	EXTEJ100	Non-pressurised fittings	Allows various lengths of movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated 150mm x 100mm Silt Trap	S150100	Non-pressurised fittings	150mm x 100mm Silt Trap Complete with Increment, Stainless Steel Lid & PVC Bucket with 5mm Holes.	DN150 x DN100	SN8	Solvent Cement
Storm Plastics	Fabricated 225mm x 100mm Silt Trap	S225100	Non-pressurised fittings	225mm x 100mm Silt Trap Complete with Increment, Galv Lid & PVC Bucket with 5mm Holes.	DN225 x DN100	SN8	Solvent Cement
Storm Plastics	Fabricated 225mm x 150mm Silt Trap	S225150	Non-pressurised fittings	225mm x 150mm Silt Trap Complete with Increment, Galv Lid & PVC Bucket with 5mm Holes.	DN225 x DN150	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel/Extended Expansion Joint	SJ/EXTEJ100	Non-pressurised fittings	Allows +/- 15° rotation one end & various lengths of movement	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Joint	SJ10015	Non-pressurised fittings	F&M Swivel Expansion Joint, allows +/- 15° rotation and 50mm Expansion	DN100	SN8	Solvent Cement

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Classification	End Connection
Storm Plastics	Fabricated Swivel Expansion 90° Bend Combo	SJ100BENDCOMBO	Non-pressurised fittings	F&F Swivel Expansion 90° Bend Combo Joint Allows +/- 15° rotation & up to 100mm movement. Fitting measures 570mm open, 470mm closed	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Combo Joint	SJ100EXPCOMBOFF	Non-pressurised fittings	F&F Swivel Expansion Combo Joint Allows +/- 15° rotation & up to 100mm movement. Fitting measures 425mm open, 325mm closed	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Combo Joint	SJ100EXPCOMBOFM	Non-pressurised fittings	F&M Swivel Expansion Combo Joint Allows +/- 15° rotation & up to 100mm movement. Fitting measures 425mm open, 325mm closed.	DN100	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Joint	SJ15015	Non-pressurised fittings	F&M Swivel Expansion Joint, allows +/- 15° rotation and 60mm Expansion	DN150	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Joint	SJ15015FF	Non-pressurised fittings	F&F Swivel Expansion Joint, allows +/- 15° rotation and 60mm Expansion	DN150	SN8	Solvent Cement
Storm Plastics	Fabricated Swivel Expansion Joint	SJ15015FFSCRR	Non-pressurised fittings	F&F Swivel Expansion Joint, allows +/- 15° rotation and 60mm Expansion	DN150	SN8	Solvent Cement & Rubber Ring
Storm Plastics	Fabricated Swivel Expansion Joint	SJ22520	Non-pressurised fittings	F&M Swivel Expansion Joint, allows +/- 20° rotation and 130mm Expansion	DN225	SN8	Solvent Cement

END RECORD

END RECORD



David Viola
Chief Executive Officer of the LAPMO Group